



Wolverine | 2-PEPTIDE BLEND / VIAL

BPC-157 Acetate 10 mg · Thymosin Beta 4 (full-length 43-aa) 10 mg · reconstitution blend

BATCH / LOT	CLIENT	PHYSICAL FORM	STORAGE
SX-261013-0031	chem labs X	Lyophilized powder	-20 °C desiccated
DATE RECEIVED	DATE ANALYSED	DATE ISSUED	VIALS SUBMITTED
2026-10-25 PDT	2026-10-30 PDT	2026-10-30 PDT	02

LAB ID
SYX-000023-31-01 / SYX-000023-32-01

INDEPENDENTLY VERIFIABLE

Scan the code, or enter the verification hash printed at the foot of this certificate, to retrieve this record from the Synthesyx portal. A certificate that does not verify did not come from this laboratory.



RESULT SUMMARY

IDENTITY

2 of 2 conform

2 COMPONENTS · RT · UV MATCH

CONFORMS

PURITY

99.24 %

RANGE ACROSS COMPONENTS

REPORTED

CONTENT

108.7-123.3 %

RANGE OF % OF LABEL

REPORTED

STERILITY

Not tested

NOT REQUESTED BY CLIENT

NOT TESTED

ENDOTOXIN

< 0.01 EU/mL

USP <85>

NOT DETECTED

HEAVY METALS

Not tested

NOT REQUESTED BY CLIENT

NOT TESTED

4 OF 6 DOMAINS TESTED · 2 NOT REQUESTED BY CLIENT


IDENTITY, PURITY & CONTENT

2-COMPONENT BLEND · SINGLE-VIAL ANALYSIS

COMPONENT	VIAL	IDENTITY	UV MATCH /1000	UV PURITY /1000	RT (MIN)	PURITY (%)	NET PEPTIDE (MG)	% OF LABEL
BPC-157 Acetate 10 mg	01	✓ Conforms	979	1000	8.150	99.24	12.33	123.3
Thymosin Beta 4 (full-length 43-aa) 10 mg	01	✓ Conforms	992	1000	5.456	99.24	10.87	108.7
SPECIFICATION			≥ 990	—	± 2 %	REPORTED	REPORTED	

UHPLC-UV CHROMATOGRAM

VIAL 01




DAD · A 214 NM · VIAL 01, REPRESENTATIVE. PER-VIAL TRACES AVAILABLE VIA THE VERIFICATION PORTAL.


PEAK	RT	AREA	AREA %
Thymosin Beta 4 (full-length 43-aa)	5.456	4,779.800	28.28
BPC-157 Acetate	8.150	11,995.100	70.96
Unassigned peak	8.779	129.000	0.76

CALIBRATION

BPC-157 ACETATE



THYMOSIN BETA 4 (FULL-LENGTH 43-AA)



EXTERNAL STANDARD CALIBRATION · ONE CURVE PER ANALYTE · INSTRUMENT OUTPUT

INSTRUMENT

Agilent 1290 Infinity II DAD

DETECTION

DAD 214 nm

ANALYST

Dustin Stephens

BACTERIAL ENDOTOXIN TESTING

PERFORMED ON DEDICATED QC VIAL · LOT SX-261013-0032-EN

BACTERIAL ENDOTOXIN

USP <85>

Result	< 0.01 EU/mL * • NOT DETECTED
Assay sensitivity	0.01 EU/mL • —
Method	Endpoint chromogenic • —

* Reported as measured (USP <85>); no pass/fail is stated. The USP limit is dose-dependent — 5 EU per kg of body weight per hour (350 EU/h for a 70 kg adult) divided by the maximum dose per kg per hour — and this laboratory does not know the dose or route. EU/mL is per millilitre of the solution the laboratory prepared from the vial.

Xavier Suarez
LAB DIRECTOR

Synthesyx Laboratories · Las Vegas, Nevada · synthesyx.com

Findings apply solely to the sample submitted, as received; handling and storage before arrival lie outside this laboratory's control. Supplied for laboratory research only — no approval for use in humans or animals, or for diagnostic, therapeutic or clinical purposes. Interpretation should be by qualified personnel within the scope of the intended study. Reproduction in part requires written consent.

SYNTHESYX